



CANOLA VISUAL REFERENCE IMAGES

CANOLA-1.0 DISTINCTLY GREEN



Portion for Analysis: 500 seeds (crushed)

Canola and pieces of canola which, after being crushed, are a distinct green. Any amount of coverage equal to or greater than the intensity shown is considered damage.

NOTE: The crushed seed coat will be disregarded in making this determination.

CANOLA-2.0 HEAT DAMAGE



Portion for Analysis: 500 seeds (crushed)

Canola and pieces of canola which, after being crushed, are materially discolored and damaged by heat. Any amount of coverage equal to or greater than the intensity shown is considered damage.

NOTE: The crushed seed coat will be disregarded in making this determination.

CANOLA-3.0 OTHER DAMAGE (A. Rimed & B. Frost)



A



B

Portion for Analysis: Approximately 10 grams

A. Canola and pieces of canola which are completely covered with a whitish, frosted coloration (rime) shall be considered damage.

B. Canola and pieces of canola which are distinctly shriveled or shrunken (frost damaged) to the degree illustrated shall be considered damage.

CANOLA-4.0 SPROUT DAMAGE (A. Damage & B. Not Damage)



Portion for Analysis: Approximately 10 grams

A. Canola and pieces of canola that are sprouted shall be considered damage.

NOTE: The sprout must be distinct and equal to or greater than shown to be considered damage. Do not confuse with swollen Endosperm.

B. Canola and pieces of canola with swollen Endosperm shall not be considered damage.